

## Product information

# 71 72 910

## Bolt Cutter



- Cutting capacity up to 48 HRC hardness
- Robust cutting edges are additionally induction-hardened, cutting edge hardness approx. 62 HRC
- Forged-in stopper with comfortable shock-absorber
- Good access due to very flat construction of head and joint area
- Ergonomically angled handles to minimise effort
- Sturdy non-slip two-colour multi-component handle sleeves
- Precise adjustment (12 positions) by eccentric bolt
- High cutting performance with minimum effort due to optimum coordination of the cutting edge angle and transmission ratio
- Bolted cutter head, replaceable
- Joint: special tool steel, forged
- Handles: steel tube, powder-coated
- Blade: chrome vanadium heavy-duty steel, forged, multi stage oil-hardened



### General

|                 |                            |
|-----------------|----------------------------|
| Article No.     | 71 72 910                  |
| EAN             | 4003773066781              |
| Head            | grey atramentized          |
| Handles         | with multi-component grips |
| Weight          | 4,950 g                    |
| Dimensions      | 910 x 170 x 42 mm          |
| REACH compliant | no                         |
| RohS compliant  | no                         |

### Technical details

|                        |         |
|------------------------|---------|
| HRC 19                 | Ø 13 mm |
| HRC 40                 | Ø 10 mm |
| HRC 48                 | Ø 9 mm  |
| Cutting edge length mm | 46 mm   |
| Head thickness         | 42 mm   |

### Classification

|                |            |
|----------------|------------|
| eCl@ss 5.1.4   | 21040302   |
| ETIM 5.0       | EC002689   |
| ETIM 6.0       | EC002689   |
| proficl@ss 6.0 | AAC440c002 |
| UNSPSC 13.1    | 27111512   |

### Spare Parts

|           |   |
|-----------|---|
| 71 79 910 | Spare cutter head for 71 72 910 complete with screws, |
|-----------|---|

*technical change and errors excepted*



